

KONCEPT

Z-BAR

pendant light



The Best of NeoCon GOLD award-winning Z-Bar Pendant is created to be a part of a modular system. Each “light bar” independently rotates 360 degrees and can be connected to create a number of standard configurations and customizable patterns to fit spaces of any size. Our online building tool is available to aid in design customization.

Suspend a set of pendants from another to simultaneously shine ambient light onto the ceiling and direct light onto a table, or create a dramatic and sculptural piece that illuminates a lobby or entryway on its own. The pendants are compatible with any dimmer, so controlling the brightness levels is simple and can be done by remote or switch.



Designer

Kenneth Ng & Edmund Ng


2016 Best of NeoCon GOLD
iF Design Award 2017

Lumens (per light bar): 600lm for 24" and 400lm for 16"*
 Energy Consumption (per light bar): 10 W for 24" and 7 W for 16"
 Rated Lifespan: 50,000 hours
 Color Temperature: 3,000 K
 CRI: 90
 Wall Switch: Compatible with any ELV wall dimmer**
 Standard Finishes: Matte Black, Silver, Matte White
 Material: Aluminum, Zinc alloy, plastic
 Maximum Cable Length: 10'

*3000lm for Single Honeycomb (24") with ceiling mount canopy, 6000lm for Crown (24")
 **Remote transformers are only compatible with 0-10V dimmers
 ***Crown shape only available with RTM option

ZBP - - - - -

- 24 = 24" Light Bars
- 16 = 16" Light Bars
- B = Bird Shape
- S = Square Shape
- T = Triangle
- H = Honeycomb
- C = Crown
- SW = Soft Warm (3000K)
- MWT = Matte White
- MTB = Matte Black
- SIL = Silver
- CNP = Canopy
- RTM = Remote Transformer***



Potential LEED Points:

Energy & Atmosphere (EA)

Credit 1.1: Optimize Energy Performance
 LED lighting to reduce energy consumption.
 (Potential points: 3)

All color finishes use water-based paint
 LEDs do not contain mercury

Innovation In Design (ID)

Credit 1.1 - 1.4: Innovation in Design
 The Z-Bar Pendant is created to work within a modular system, and it can connect and transform into a number of configurations. Each light bar can rotate 360 degrees to shine dimmable ambient or direct light, according to your preference.
 (Potential points: 4)