Efficiency in Light.





UCX Pro maintains the emphasis on ultra-high energy efficiency and sleek, minimalist design that characterize Koncept products. Remotely control the color and brightness settings with the optional wifi module and smartphone app. Schedule your light to automatically change in intensity and light color throughout the day, synchronizing with your circadian rhythm. Connect multiple units to brighten larger spaces. Includes magnetic and screw mounts.

2015 Best of NeoCon GOLD
Product Innovations 2015 BUILDINGS Favorite

Designers Kenneth Ng, Edmund Ng

	UCX-19	UCX-27	UCX-37
Maximum Chained Units:	4	3	2
Lumens:	760	1140	1672
Footcandles:	130	171	246
Lux:	1399	1841	2648
Energy Consumption (per luminaire):	8.64 W	13 W	18.7 W
System Power:	10.5 W	15.5 W	22.5 W
Rated Lifespan	50,000 hours		
Color Temperature:	Variable from 2,700K to 5,000 K		
Color Rendering Index (CRI):	90		
Brightness Adjustability:	Continuous dimming		
Material:	Aluminum, plastic		
Safety Rating:	C-UL-US Certified		
Warranty:	5 years		
Voltage:	100-240V		
Standard Finish:	Silver		





Optional Accessories Male to male connector Occupancy sensor Wifi module 30" / 12" daisy chain cord

Potential LEED Points

Integrative Process (Possible 2 points)

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems.

Koncept's LED desktop and task lighting provides finer control over lighting levels in occupied spaces. With personal lighting in place, elimination or downsizing of building lighting systems is possible.

Interior Lighting (Possible 2 points)

To promote occupants' productivity, comfort and well-being by providing high-quality lighting.

All Koncept's task lighting products provide more than three lighting levels that are easily adjustable by occupants to suit their needs. Furthermore, all Koncept's task lighting products use high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours. Desktop and task personal lighting also provides the opportunity to reduce overhead lighting.

Photometrics: Light source placed 18" away from work surface. Graph represents 5,000 K light.

