
KONCEPT

UCX PRO



Preliminary Specifications

Lumens: Model: Number of LEDs: Energy Consumption: LED Rated Lifespan: Color Temperature:

Color Rendering Index (CRI):

Dimmer:

Brightness Adjustability: Standard Color Finish*:

Material: Mounting:

Maximum Chained Units: Length of Daisy Chain Cord:

Transformer:

760 1216 1672 UCX-19 UCX-27 UCX-37 84 126 182 8.64 W 13 W 18.7 W

50,000 hours


Variable from 2,700K to 5,000K

83

Built-in touchstrip Continuous dimming Metallic Black, Silver, White Aluminum/Plastic Magnetic/Screw Mounts (Included)

4 units | 3 units | 2 units 1" (male-to-male connector), 12", 30"


24 or 48 watts



NOTE

For power supply with CHICAGO CODE OPTION, add "-CHGO" at the end of the model number.

^{*}Custom colors are available at additional cost. Contact Koncept or your sales representative for a quote.





30" daisy chain cord 12" daisy chain cord



male to male connector Standard 24W power supply Large 48W power supply



Wifi module



Occupancy sensor



Tilting motion

Energy & Atmosphere (EA)

Credit 1.1: Optimize Energy Performance LED lighting to reduce energy consumption. (Potential points: 3)

Innovation In Design (ID)

Credit 1.1- 1.4: Innovation in Design UCX Pro allows effortless full control with the use of daisy-chain(s) to chain multiple units to run on a single outlet while the chained units can be individually controlled or synced. The light also features a built-in touchstrip for touch sensitive dimming, optional occupancy sensor, tunable light color, optional wifi control and scheduling. (Potential points: 4)

Aluminum housing is fully recyclable All color finishes use water-based paint LEDs do not contain mercury