



Linear

Direct Your Light

# Sobre task light

Designers

Peter Ng, Kenneth Ng, Edmund Ng

Next Generation Luminaires 2013

Best of NeoCon Silver 2012

Sobre rises above your work surface to provide both ambient and task light. The LED light bar rotates to shine directly down onto your desk, or up for beautiful ambient light. Ideal for long tables or public areas, multiple Sobre units can be connected together. Sobre mounts onto your desk via clamp or through-table mount. An occupancy sensor and dimmer control is available separately.


We also welcome customization for your project needs—whether it's a specific finish, light color temperature, or even a custom body size, we're here to help tailor Sobre to your vision.

Lumens:  
Energy Consumption:  
Footcandles:  
Rated Lifespan:  
Color Rendering Index (CRI) :  
Brightness Adjustability:  
Material:  
Occupancy Sensor:  
Safety Rating:

320 per ft  
3.75 W per ft  
see chart  
60,000 hours  
90+  
Continuous dimming\*  
Aluminum, plastic  
Available separately  
CE Certified. Ships with UL / cUL certified power supply within North America.  
5 years  
100-240 V


\*Occupancy sensor with dimmer control available separately

Photometrics: light source placed 19" away from work surface




Photometrics diagram


Sobre (36 inch LED light bar)



Sobre (46 inch LED light bar)



Dimensions of Standard Models



Sobre Options

Additional lead time/charges may be applied to non-stocked options



Customize your Sobre light using the online Sobre configurator. Log into [koncept.com/speconline](https://koncept.com/speconline) and create a free account. Contact [sales@koncept.com](mailto:sales@koncept.com) for assistance.


- Stock standard
- Custom

Sobre	Light Bar Length (in)	Additional Light Bar	Height (in)	Light Temperature (K)	Finish	Mount	Power/Dimmer Control
SF1	26	+ length	16	1,800	Silver (SIL)	Through-table (THR)	No Control Unit (NCU)
	31	if a second light bar (36") is needed, write "+36". If a third light bar (36") is needed, put another "+36" and so on**.	17	2,000	Metallic Black (MBK)	Desk Clamp (2CF)	Occupancy Sensor / Dimmer Control (ODC)
	36		18	2,200			
	41		19	2,500	White (WHT)	Extended Through-table*** (EXT)	
	46		20	3,000	Matte Black (MTB)		
	51		21	3,500	Matte White (MWT)		
	56		22	4,000	Custom finish (CUS)		
	61	If no additional light bar is needed, skip this step.	23	4,500			
	66			5,000			
			Enter the desired height in inches of the standing bar from above the mount.	5,700			
				6,500			

Order example: SF1 - 36 + 36 - 19 - 3500 - MBK - 2CF - ODC

Customization charges apply.  
\*\*for info on maximum connected units, contact [sales@koncept.com](mailto:sales@koncept.com)  
\*\*\*extended through-table mount (EXT) supports up to 2.6" table thickness.

Customize your Sobre:



\*\*\*Custom option: extended through-table mount (EXT) supports up to 2.6" table thickness.



LEED Information

Integrative Process

To support high-performance, cost-effective project outcomes through an early analysis of the interrelationships among systems. Koncept's LED lighting fixtures operate at high efficacy, therefore helping to minimize energy costs. All Koncept lighting fixtures are dimmable so that occupants can choose the appropriate setting to avoid energy overuse.

Interior Lighting

To promote occupants' productivity, comfort and well-being by providing high-quality lighting. Koncept's entire line of hardwired lighting fixtures are dimmable. Users can adjust the brightness settings to suit their needs. Furthermore, all products utilize high quality LED light sources with CRI over 80 and L70 rated lifespan over 50,000 hours.





Sobre clamp base

No buttons. A touchstrip dimmer and occupancy sensor are veiled in the slim Sobre support stem

